



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate

5673 East Shields Avenue, Fresno, CA 93727 USA 559.291.4444, ilovetocreate.com aleenes.com

EMERGENCY TELEPHONE NUMBERS

Health Emergencies: 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time Spill and Off-Hour Health Emergencies: 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

Product name:	Aleene's Mixed Media Adhesive
Product use/description:	Permanent multi-use adhesive
	Item number: 40673 1.5oz
Not intended for:	No additional relevant data, but read package instructions and SDS carefully prior to use.

2. HAZARDS IDENTIFICATION

Classification:	Flam. Liq. – Highly Flammable liquid and vapor.
Health and physical hazard	H225 – Highly flammable liquid and vapor.
statement:	
Other hazards not classified:	No data
Signal word:	Danger
Precautionary statement:	If medical advice is needed, have product container or label
	at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves/eye protection/face protection. Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. If on skin (or hair): Take off all contaminated clothing immediately. Rinse skin with water/shower. In case of fire: Use for extinction: CO ₂ , powder, or water sprays. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.
Pictogram(s) by GHS:	
	GHS02

3. COMPOSITION / INFORMATION ON INGREDIENTS

Detailed formulation is submitted by the client and is proprietary information.

Products are made by physical manipulation and chemical reaction from the ingredients. These ingredient chemicals may not exist as their original formula in final products.

Reportable ingredients (if applicable):

Identity/Synonym	CAS Number:	Percentage/Range:
Tert-butyl acetate	540-88-5	25-50%

4. FIRST AID MEASURES

On inhalation: Supply fresh air or oxygen; call a doctor. In case of unconsciousness, place patient





	in stable side position for transportation.
On skin contact:	Immediately wash with water and soap and rinse thoroughly.
On eye contact:	Rinse opened eye for 20 minutes under running water. If eye becomes irritated,
	obtain medical treatment.
On ingestion:	Rinse out mouth with water. Drink 1-2 glasses of water but DO NOT induce
	vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Seek medical treatment.
Acute/delayed symptoms:	No further information available
Medical advice:	No further relevant information

5. FIREFIGHTING MEASURES

	Extinguishing Media	
Suitable extinguishing	CO ₂ , sand, extinguishing powder. Do not use water.	
media:		
Unsuitable extinguishing	Water	
media:		
	Protection of Firefighters	
Specific hazards arising	No further relevant information available	
from the chemical:		
Protective equipment for	Protective clothing and respiratory device	
firefighters:		
Special	See Section 8 of this SDS.	
precautions/protective		
equipment for firefighters:		
Will hazardous	Liquid and vapors are highly flammable.	
combustion occur:		

6. ACCIDENTAL RELEASE MEASURES

Emergency containment	See Section 13 for disposal.
procedures:	
Environmental	Do not allow to enter sewers/waterways/surface or ground water.
precautions, if any:	
Methods for cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,
	sawdust). Ensure adequate ventilation.
Personal protective	See Section 8 of this SDS.
equipment:	

7. HANDLING AND STORAGE

Safe storage:	Store in a cool location away from direct heat. Store as flammable liquid. Store away from oxidizing agents. Keep receptacle tightly sealed. Keep container closed when not in use. Keep ignition sources away. Do not smoke. Protect against electrostatic charges.
Safe handling:	
	thoroughly after handling. Prevent formation of aerosols.
Known incompatibilities:	Heat, flames, sparks, sources of ignition, static build up



8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational exposure limits:

Chemical Name	ACGIH TLV	OSHA PEL
Tert-butyl acetate		
(CAS #: 540-88-5)	950 mg/m³;	950 mg/m³;
(25-50%)	200 ppm	200 ppm

Appropriate engineering controls: See below.

Individual protection measures, such as PPE (Personal Protective Equipment):

	Personal Protection Equipment:
Respiratory protection:	Not necessary if room is well-ventilated.
Eye protection:	Safety glasses with side shields. Tightly sealed goggles.
Hand protection:	Protective gloves should be worn. The glove material has to be impermeable and resistant to the product/the substance/the preparation. Nitrile gloves, NBR, Chloroprene rubber, CR. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The exact break-through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Skin protection:	Protective work clothing should be worn as a precaution.
Thermal protection:	No data
General safety and	Wash hands before breaks and at the end of work.
hygiene measures:	
Further information:	The lists that were valid during the creation were used as basis.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state/appearance:	Fluid
Color:	
Odor:	Characteristic
Odor threshold:	Not determined
pH:	Not determined
Boiling point/range:	97°C (207°F)
Melting point/range:	Undetermined
Flash point:	
Evaporation rate:	Not determined
Vapor density:	Not determined
Solubility(ies):	Not miscible in water or difficult to mix
Vapor pressure at 20°C (68°F):	0.9 g/cm ³ (7.511 lbs/gal)
Relative density:	Not determined
Viscosity:	-
Partition coefficient	Not determined
(n-octanol/water), if applicable:	
Explosive properties:	Product is not explosive. However, formation of explosive air/vapor mixtures is
	possible.
Flammability: (solid, gas)	Not applicable
Flammability limit in air:	Lower: % by volume = .9
upper/lower	Upper: % by volume = 6.7
Autoignition temperature:	Product is not self-igniting.
Decomposition temperature:	Not determined





10. STABILITY AND REACTIVITY

Chemical stability:	No data
Conditions to avoid:	Heat, flames, sparks
Incompatible materials:	Reacts with oxidizing agents.
Hazardous decomposition	Carbon monoxide and carbon dioxide
products:	
Possibility of hazardous	No dangerous reactions known.
Reactions/polymerization:	

11. TOXICOLOGICAL INFORMATION		
Information on likely routes of exposure:		
Eye contact – serious eye	May irritate the eye	
damage or irritation		
Skin contact – skin corrosion,	May irritate the skin	
sensitization or irritation:		
Ingestion –	No data	
carcinogenicity/aspiration		
hazard:		
Inhalation – respiratory	No sensitizing effects known	
sensitization/toxicity:		
Symptoms of exposure:	No data	
Information on toxicological	No data	
effects:		
Delayed or immediate effects:	No data	
Germ cell mutagenicity:	No data	
Specific target organ toxicity	No data	
(single exposure):		
Specific target organ toxicity	No data	
(repeated exposure):		
Chemicals listed on NTP, IARC	No ingredients listed	
or OSHA as a Carcinogen:		
Chemical Name:	Oral LD50 Dermal LD50 Inhalation LC50 Percentage	
None		

*Estimates for product may be based on additional component data not shown.

12. ECOLOGICAL INFORMATION (NON-MANDATORY)

Ecotoxicity:	No further relevant information available
Persistence and degradability:	No further relevant information available
Bioaccumulative potential:	No further relevant information available
Mobility in soil:	No further relevant information available
Other adverse effects:	No further relevant information available

13. DISPOSAL CONSIDERATIONS (NON-MANDATORY)

Disposal instructions:	Must be specially treated adhering to official regulations.
Local disposal regulations:	Disposal must be made according to official regulations.



14. TRANSPORTATION INFORMATION (NON-MANDATORY)

	DOT	IME) <u>G</u>	<u>IATA</u>
UN/ID number:	1133	11:	33	1133
Proper shipping name:	Adhesives, solution	ADHESIVES,		ADHESIVES,
		solu	tion	solution
Transport hazard class:	3 – flammable liquids			
Packing group (if applicable):	II	11		II
Environmental provisions:	N/A	N/A		N/A
Special precautions in transport:	Listed as warning: fammable liquids			
Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code			N/A	
Emergency Response Guide Number:		EmS- No:	F-E, S-[)

Pictograms



15. REGULATORY INFORMATION (NON-MANDATORY)

			I	U.S. Federal Regulat	ions:		
TSCA Section 12(b) Export Notification			This product is manufactured in compliance with all provisions of the				
(40 CFR 707, Subpt. D):			Toxic Substance Control Act, 15 U.S. C.2601 et. Seq.				
CERCLA (Superfund) reportable			No data				
quantity (lbs.) (40 CFR 302.4)							
OSHA Specifically Regulated			No data				
	Substances (29 CFR 1910.1001-1050):						
	ion 302 Extren			No data			
	ce (40 CFR 35						
Chemical Name:	CAS Number:	Reporta Quant		Threshold planning quantity:	Threshold planning quantity, lower value:	Threshold planning quantity, upper value:	
None	X	X	ity.		X		
Tiono	Superfund Amendments and Reauthorization Act of 1986 (SARA)						
			product does not contain any substances at or above the reported				
	••••			hold under Section 313, based on available data.			
SARA 304 Emergency release No da			ita				
notification:							
SARA 311/312 (40 CFR 370) No da			ita				
Hazardous Chemical:							
SARA 313 (TRI reporting):			Chemical Name:	CAS Number:	<u>% by wt.</u>		
			None	-	-		
Drug Enforcement Administration No da		ita					
(DEA) (21 CFR 1308.11-15):			4				
Clean Air Act (CAA) Section 112 No da			lta				
Hazardous Air Pollutants (Haps)							
List:							
Clean Air Act (CAA) Section 112(r) No da			ita				
Accidental Release Prevention							





(40 CFR 68.130):		
Safe Drinking Water Act (SDWA):	No data	
Canadian Domestic Substances List (DSL):	All components of this product are on the DSL (Canada Domestic Substance List) or are exempt for DSL requirements.	
FDA:	No data	
Conforms to Non-Toxic ASTM- 4236:	Products are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).	
California Proposition 65	This product contains the following chemicals that are known to the state of	
Warning:	California to cause cancer, birth defects, or other reproductive harm: none	
EPA Clean Air / Water Act:	None of the ingredients listed	
EPA Hazardous Wastes:	None of the ingredients listed	
HMIS III Rating:	Health=1; Fire=3; Reactivity=0; Physical hazard=0.	
Unless a concentration is specified in Section 2 of the SDS, the above chemicals(s) are present in trace amounts.		





16. OTHER INFORMATION

The recommendations and information contained in this SDS are compiled from sources believed to represent the most current information available when the SDS is prepared. However, the manufacturer / distributor of this product does not provide any warranty, guaranty of representation as to the correctness or sufficient of this information. If this material is used in large amounts and/or an unusual manner, the user is obliged to determine what safety measures are appropriate, including the applicable and relevant workplace and environmental regulations pertaining to handling, use and disposal.

Table of Abbreviations				
ACGIH:	American Conference of Governmental Industrial Hygienists	LD:	Lethal Dose	
ANSI:	American National Standards Institute	MARPOL:	Marine Pollution	
ASTM:	American Society for Testing Materials	mg / kg:	Milligram per Kilogram	
°C:	Degrees Centigrade	mm:	Millimeter	
CAA:	Clean Air Act	MSHA:	Mine Safety and Health Administration	
CAS:	Chemical Abstract Service	N/A:	Not Applicable	
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act	NFPA:	National Fire Protections Association	
CFR:	Code of Federal Regulations	NIOSH:	National Institute for Occupational Safety and Health	
CPR:	Controlled Products Regulations	NTP	National Toxicology Program	
DEA:	Drug Enforcement Act	OEL:	Over Exposure Limit	
DOT:	Department of Transportation	OSHA:	Occupational Safety and Health Administration	
DSL:	Canadian Domestic Substances List	PEL:	Permissible Exposure Limits	
EmS:	Emergency Medical Goods Services	ppm	Parts Per Million	
EPA:	Environmental Protection Agency	SARA	Superfund Amendment and Reauthorization Act	
° F :	Degrees Fahrenheit	STEL	Short-Term Exposure Limit	
FDA:	Food & Drug Administration	SDS:	Safety Data Sheet	
g/l:	Grams per Liter	SDWA:	Safe Drinking Water Act	
HAPs:	Hazardous Air Pollutants	TLV:	Threshold Limit Value	
Hg:	Mercury	TRI:	Toxics Release Inventory	
HMIS:	Hazardous Materials Identification System	TSCA	Toxic Substances Control Act	
HNOC:	Hazard(s) Not otherwise classified	TWA	Time – Weighted Average	
IARC:	International Agency for Research on Cancer	U.N.	United Nations	
IATA:	International Air Transport Association	WHMIS	Workplace Hazardous Materials Information System	
ID:	Identification / Identity	>	Greater Than	
IDLH:	Immediate Danger to Life or Health	<	Less Than	
IMDG:	International Maritime Dangerous Goods	73/78:	1973 & 1978	
LC:	Lethal Concentration			

Version:	Revision date:
1	Created: 2/6/15 - RA
2	4/4/19 - SH
3	2/11/2022 - sp

END SAFETY DATA SHEET