

OCTOBER 15, 2009

FIRE MOUNTAIN GEMS ATTN: A/P # 2091 ONE FIRE MOUNTAIN WAY GRANT PASS, OR 97526 315802

Re: Material Safety Data Sheet

Dear Valued Customer,

Please note that the products supplied by Grobet File Co. on the attached list, are required by the U.S. Department of Labor, division of Occupational Safety and Health Administration, to have a Material Safety Data Sheet. We are enclosing herewith the MSDS for those products.

We trust this information meets with your requirements, however, should you have any additional questions please do not hesitate to contact us.

Yours very truly,

GROBET FILE CO. OF AMERICA, INC.



OCTOBER 15, 2009 Page 1

FIRE MOUNTAIN GEMS 315802

MSDS Required List

Item Code Item Description

54.513 GRIFFITH SELF PICKLE FLUX 160Z



PAGE

1

MANUFACTURE INFORMATION GROBET FILE CO. OF AMERICA, INC. 750 WASHINGTON AVE. EMERGENCY PHONE...... 800-255-3924 CARLSTADT, NJ 07072 PREPARATION/REVISION DATE: 08/03/99 TRADE NAME/SYNONYMS...: SELF PICKLING FLUX 16 OZ CHEMICAL NAME/SYNONYMS: SELF PICKLING FLUX CHEMICAL FAMILY.....: BORATES AND PHOSPHATES FORMULA....: PRODUCT CODE..... 54.513 DOES PRODUCT CONTAIN HAZARDOUS INGREDIENTS? (Y,N,N/A,N/I) : Y CHEMICAL/COMMON NAME CAS-NUMBER 8 PEL-OSHA TLV-ACGIH 3.1 BORAX N/I N/IN/IBORIC ACID N/I1.0 N/I N/IAMMONIUM PHOSPHATE (BY WEIGHT) N/II N/I 3.1 N/I DOES PRODUCT CONTAIN CARCINOGENS (NTP, IARC, OR OSHA)? (Y,N,N/A,N/I): N/I \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* HEALTH HAZARD DATA \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* HEALTH EFFECTS (ACUTE AND CHRONIC) EYES; IRRITATING SKIN; MAY CAUSE SLIGHT SKIN IRRITATION ESPECIALLY IF DAMAGED INGESTION; LARGE AMOUNT INGESTION MAY CAUSENAUSEA, EMISIS, DIARRHEA & ERYTHEMA PRIMARY ROUTES OF ENTRY EYES, SKIN, INGESTION MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE N/I EMERGENCY FIRST AID PROCEDURES EYES; FLUSH WITH TEPID WATER FOR 15 MINUTES. SKIN; FLUSH WITH WATER INGESTION; INDUCE VOMITING IF LARGE AMOUNTS HAVE BEEN INGESTED. DRINK LARGE AMOUNTS OF MILK OR WATER AMMD CONSULT A PHYSICIAN. BOILING POINT(F).... N/I SPECIFIC GRAVITY(WATER=1)........... N/I VAPOR PRESSURE(MMHG) N/I PERCENT VOLATILE BY VOLUME(%)...... N/I



PAGE VAPOR DENSITY(AIR=1) N/I EVAP RATE( N/I =1) N/ISOLUBILITY IN WATER.. AQUEOUS SOLUTION APPEARANCE AND ODOR INFORMATION YELLOW LIQUID WITH SLIGHT AMMONIA ODOR FLASH POINT (METHOD USED) N/I FLAMMABLE LIMITS-LEL= N/I UEL= N/I EXTINGUISHING MEDIA N/ASPECIAL FIRE FIGHTING PROCEDURES NONE- INGREDIENTS TEND TO BE FIRE RETARDANT. UNUSUAL FIRE AND EXPLOSION HAZARDS NONE \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* REACTIVITY DATA \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* INCOMPATIBILITY (MATERIALS TO AVOID) ELEMENTAL POTASSIUM HAZARDOUS DECOMPOSITION PRODUCTS N/I WILL HAZARDOUS POLYMERIZATION OCCUR WILL NOT OCCUR CONDITIONS TO AVOID/POLYMERIZATION N/I IS THE PRODUCT STABLE YES CONDITIONS TO AVOID/STABILITY N/I 

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED



PAGE

3

WASH WITH WATER-SMALL AMOUNTS CAN BE DISPOSED IN A SANITARY SEWER

WASTE DISPOSAL METHOD
LIQUID DISPOSAL SITE OR SANITARY SEWER.

VENTILATION

LOCAL EXHAUST SUGGESTED MECHANICAL (GEN) N/I SPECIAL..... N/I OTHER...... N/I

RESPIRATORY PROTECTION

LOCAL EXHAUST RECOMMENDED

PROTECTIVE GLOVES

NONE UNLESS SKIN IS DAMAGED

OTHER PROTECTIVE EQUIPMENT EYE PROTECTION SUGGESTED

OTHER ENGINEERING CONTROLS N/I

WORK PRACTICES N/I

HYGENIC PRACTICES N/I

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE NO SPECIAL PRECAUTIONS

MAINTENANCE PRECAUTIONS N/I

OTHER PRECAUTIONS N/I

OTHER COMMENTS N/I