# CHEMICAL SYSTEMS 4316 CRANWOOD PARKWAY CLEVELAND, OHIO 44128

Conforms to HazCom 2012/United States

# **SAFETY DATA SHEET**

### Section 1. Identification

Product identifier(s)/ Trademark(s) used on the label	: JEWELER SKIN GUARD
Other means of identification	: I/N CA-1000
NSF H-1 Registration number	: Not available

Relevant identified uses of the substance or mixture and uses advised against

Manufacturer	: Chemical Systems 4316 Cranwood Parkway Cleveland, Ohio 44128 Tel: 1-888-428-8840 (Toll-free in the USA) Fax: 1-216-663-8114
Emergency telephone number (with hours of operation)	: 1-216-663-8110 8am-5pm

# Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure.
Precautionary statements	

# Section 2. Hazards identification

Prevention	: Wear protective gloves. Do not breathe dust. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
Response	: Get medical attention if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Other means of	:	Not available.
identification		

### **CAS number/other identifiers**

CAS number	: Not applicable.
Product code	: CA-1100

Ingredient name	%	CAS number
Ethyl alcohol	35-45	64-17-5
Methyl ethyl ketone	35-45	78-93-3
Acrylic resin	10-20	Proprietary

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary fi	rst aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention following exposure or if feeling unwell.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if not feeling well. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### Section 4. First aid measures

In	a	e	st	ti	ο	n
	-	-	_		-	

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if not feeling well. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute healt	h effects
Eye contact	: Irritation of eyes, skin and respiratory system.
Inhalation	: May cause irritation to nose, throat and respiratory tract.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: May cause gastrointestinal disturbances if swallowed.

#### Over-exposure signs/symptoms

Eye contact	: Redness, itching or burning sensation.
Inhalation	: Headache, dizziness, nausea and loss of coordination.
Skin contact	: Redness, itching or burning sensation.
Ingestion	: Burning sensation in mouth, throat and stomach.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No special protection is required.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: Carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: No special measures are required.

### Section 5. Fire-fighting measures

Special protective : Fi equipment for fire-fighters ap

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	:	Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nta	ainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

### Control parameters

### **Occupational exposure limits**

Ingredient name	Exposure limits	
Ethyl alcohol	ACGIH TLV 1000 ppm.	
Methyl ethyl ketone	OSHA PEL 1000 ppm	
	ACGIH- TWA 200 ppm OSHA – PEL 200 ppm	
oppropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.	
nvironmental exposure ontrols	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.	
ndividual protection meas	<u>ures</u>	
Hygiene measures	Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reuse.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.	
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should	

- rotection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- **Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- **Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- **Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid
Color	: Clear
Odor	: Pungent
Odor threshold	: 20 ppm
рН	: Not available
Melting point	: Not available
Boiling point	: 173 F
Flash point	: 23 F
Burning time	: Not available.
Burning rate	: Not available.

# Section 9. Physical and chemical properties

•	• •
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available
Vapor density	: <1
Relative density	: .80/ml
Solubility	: Moderate in water.
Partition coefficient: n- Octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not available.

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Heat, flames, spark and incompatible products.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials and alkalis.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
				-

### Irritation/Corrosion

There is no data available.

### **Sensitization**

There is no data available.

### **Mutagenicity**

There is no data available.

#### **Carcinogenicity**

There is no data available.

**Reproductive toxicity** 

### Section 11. Toxicological information

There is no data available.

#### **Teratogenicity**

There is no data available.

### Specific target organtoxicity (single exposure)

There is no data available.

### Specific target organ toxicity (repeated exposure)

Name	• •	Route of exposure	Target organs

#### Aspiration hazard

There is no data available.

Dermal contact. Eye contact. Inhalation. Ingestion.	
: Irritation of eyes, skin and respiratory system.	
: May cause nervous system depression.	
: May cause an allergic skin reaction	
: May cause gastrointestinal disturbances if swallow	ved.
5	<ul><li>May cause nervous system depression.</li><li>May cause an allergic skin reaction</li></ul>

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Redness, itching or burning sensation		
Inhalation	: Headache, dizziness, nausea and loss of coordination		
Skin contact	: Redness, itching or burning sensation		
Ingestion	: Burning sensation in mouth, throat and stomach.		

### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Nausea, drowsiness, dizziness.
Potential delayed effects	: Depression and narcosis.
Long term exposure	
Potential immediate effects	: Narcosis.
Potential delayed effects	: Can cause liver and kidney damage.
Potential chronic health eff	iects
General	: Causes damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

# Section 11. Toxicological information

### Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value

### Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure		

### Persistence and degradability

There is no data available.

### **Bioaccumulative potential**

There is no data available.

 Mobility in soil

 Soil/water partition
 : Not available.

 coefficient (Koc)
 : Not available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

		DOT Classification		IMDG		ΙΑΤΑ
UN number		UN 1993				
UN proper shipping name	- C	OATING: FLAMMABLE LIQU	D -		-	
Transport hazard class(es)	-	DOT CLASS 3 in bulk- CONSUMER COMMO CLASS 9 ID 8000	DITY less th	an I liter ORM-D		
Packing group	-	PG II	-		-	
Environmental hazards	No.		No.		No.	
Additional information	-		-		-	

**AERG** : Not applicable.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

### Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted.						
	Clean Water Act (CWA) 307:						
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed						
Clean Air Act Section 602 Class I Substances	: Not listed						
Clean Air Act Section 602 Class II Substances	: Not listed						
DEA List I Chemicals (Precursor Chemicals)	: Not listed						
DEA List II Chemicals (Essential Chemicals)	: Not listed						
<u>SARA 302/304</u>							
Composition/information	on ingredients						
No products were found.							
SARA 304 RQ	: Not applicable.						

# Section 15. Regulatory information

### SARA 311/312

Classification

: Immediate (acute) health hazard Delayed (chronic) health hazard

### **Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
Ethyl alcohol	35-45	Yes	No.	No.	Yes.	Yes.
Methyl ethyl ketone	35-45	Yes	No	No	Yes	Yes

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements			
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### **State regulations**

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	 •	Maximum acceptable dosage level

#### **International regulations**

International lists	<ul> <li>Australia inventory (AICS): All components are listed or exempted.</li> <li>Canada inventory (DSL): All components are listed or exempted.</li> <li>China inventory (IECSC): All components are listed or exempted.</li> <li>Korea inventory: All components are listed or exempted.</li> <li>New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.</li> <li>Philippines inventory (PICCS): All components are listed or exempted.</li> </ul>
Chemical Weapons Convention List Schedule I Chemicals	: Not listed
Chemical Weapons Convention List Schedule II Chemicals	: Not listed
Chemical Weapons Convention List Schedule III Chemicals	: Not listed

Section 16. Other information									
Hazardous	Materi	al Information Syst	tem (	<u>J.S.A.)</u>					
Health:	2	Flammability:	3	Physical hazards:	0				
National Fi	re Prot	ection Association	(U.S	. <u>A.)</u>					
Health:	2	Flammability:	3	Instability: 0					

Caution: HMIS® and NFPA ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

The customer is responsible for determining the PPE code for this material.

### **History**

Date of issue mm/dd/yyyy Version	: 05/09/2016 : 1
Revised Section(s)	: Not applicable.
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Noticetoreader	

#### **Noticetoreader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.