



+ B PROJECTS + INSPIRATIONS FOR SPOOKTACULAR STYLE



Sec.
TABLE OF CONTENTS
Project One:
 Witchy Bracelet with Silver-Plated "Pewter" Enameled Charm and Czech Glass Cathedral and Fire Polished Beads
Enlarged View
Project Two:
Jack-O-Lantern Earring with Lampworked Glass Beads, Magnesite Beads and Satinique Cord 7-10
Enlarged View
Project Three:
 Black Cat Single-Strand Necklace with Enamel and Silver-Plated "Pewter" Charm and Seed Beads 11-14
Enlarged View
Tutorial Videos:
Spider and Fly Earrings15Easy Jack-O-Lantern Earrings15Black Tears Earrings15
(\mathbf{J})
2 2



PROJECT ONE

Ingredients

Bead, Czech fire-polished dipped décor glass, lilac, 4mm faceted round Bead, Czech glass, emerald green and metallic emerald green, 8mm round cathedral Bead, Czech glass, opaque jet and metallic purple, 8mm round cathedral Bead, Czech dipped décor glass, tangerine Apollo, 8mm round cathedral Bead, Czech fire-polished glass, transparent orange, 4mm faceted round Bead, Czech fire-polished glass, transparent emerald green, 4mm faceted round Charm, silver-plated "pewter" (zinc-based alloy) and enamel, multicolored, 25x21mm single-sided witch's head Spacer bar, antique silver-plated "pewter" (zinc-based alloy), 24x4mm single-sided 3-strand beaded, fits up to 7.5mm bead Clasp, lobster claw, silver-plated brass, 13x8mm with diamond pattern Jump ring, silver-plated brass, 6mm twisted round, 3.6mm inside diameter, 16 gauge Jump ring, stainless steel, 8mm twisted round, 5.3mm inside diameter, 16 gauge Crimp cover, stainless steel, 4mm corrugated round Crimp, sterling silver, 2x1mm cut tube, 1.1mm inside diameter Wire protector, Accu-GuardTM, sterling silver, 5mm tube, 0.5mm inside diameter Beading wire, Accu-Flex®, nylon and stainless steel, clear, 49 strand, 0.019-inch diameter

PROJECT ONE



Instructions

Step 1

Preparing Accu-Flex®:

Cut three 8-inch lengths of clear 49-strand Accu-Flex professional-quality beading wire. Gather all three strands and attach a Bead StopperTM at the end of the Accu-Flex.

Step 2

Adding Beads:

String a spacer bar onto all three strands of Accu-Flex. To the first strand, add an 8mm cathedral glass bead, a 4mm Czech fire-polished glass bead, another cathedral bead, another fire-polished glass bead and one more cathedral bead. Select your second and third color and repeat on the other two strands of Accu-Flex. Add another spacer bar, stringing onto all three strands. Do this four more times, ending with a spacer bar. You should have five sets of beads (nine total / three of each color) and six spacers.

Step 3

Securing the Accu-Flex:

Working with one strand at a time, string onto the beading wire: one crimp tube and one Accu-Guard[™] wire protector. Pass the beading wire back through the crimp. Pull the beading wire so the crimp rests snug against the Accu-Guard, leaving approximately 1/4 inch of beading wire on the end. Crimp, then tuck the 1/4 inch of beading wire into the bead next to the crimp and trim any excess. Finish with a crimp cover. Repeat for the other two strands.

Remove the Bead Stopper from one strand at the opposite end of the bracelet and follow the above sequence to secure. Repeat for the other two strands.

Step 4

Add charm and clasp:

On each end of the bracelet, gather the secured ends of the strands and attach all strands together with an 8mm twisted jump ring. Then add a 6mm twisted jump ring to the 8mm ring. Attach the witch charm to one of the 6mm rings, and add the lobster claw clasp to the other 6mm ring.

Resources:

F898 Video – Secrets to Crimp Covers – Hiding Crimp Beads



F898 Video Secrets to Crimp Covers Hiding Crimp Beads

ADDITIONAL DESIGN IDEAS



Design Idea <u>QG2X</u>



Design Idea <u>QG2Z</u>

6



Design Idea <u>QG2Y</u>



Design Idea <u>QG2E</u>



PROJECT TWO

Ingredients

Bead, magnesite (dyed / imitation), black and orange, 25x24mm double-sided carved jack-o-lantern pumpkin

Bead, lampworked glass, black / blue / yellow / green, 14x8mm rondelle

Tassel, cotton and imitation rhodium-finished steel, black, 20-24mm mini tassel with 6mm open jump ring

Ear wire, gunmetal-plated brass, 16mm leverback with 7x2mm shield and open loop

Eye pin, gunmetal-plated brass, 1-1/2 inches, 21 gauge

Thread, C-Lon®, nylon, copper, 0.5mm diameter





Instructions

Step 1

Cut two 3-inch lengths of copper C-Lon® thread.

Step 2

Wrap one length of thread approximately three times around one mini tassel, just below the base of the jump ring. Tie off the thread then finish with a dab of E6000 Fray Lock. Trim excess thread. Set aside to dry.

Repeat with the second mini tassel.

Step 3

String one 25x24mm jack-o-lantern onto a 1-1/2 inch eye pin then form a simple loop. Repeat to create a second jack-o-lantern link.

String onto a 1-1/2 inch eye pin: One opaque black 4mm round, one 14x8mm rondelle and one opaque black 4mm round then form a simple loop. Repeat to create a second rondelle link.

Step 4

Connect the following:

- One ear wire
- One rondelle link
- One jack-o-lantern link
- One 20-24mm mini tassel

Repeat to create a second earring.

ADDITIONAL DESIGN IDEAS





C PROJECT THREE

Ingredients

Seed bead, Miyuki, glass, opaque black, (RR401), #15 rocaille

Seed bead, Miyuki, glass, opaque luster mandarin, (RR423), #15 rocaille

Jump ring, silver-plated brass, 5.5mm round, 3.5mm inside diameter, 18 gauge

Charm, enamel and silver-plated "pewter" (zinc-based alloy), black and orange, 25x23mm single-sided cat with ribbon

Clasp, lobster claw, silver-plated brass, 7x5mm

Crimp, sterling silver, 2mm cut tube, 1.4mm inside diameter

Crimp cover, silver-plated brass, 4mm round

Beading wire, Accu-Flex®, nylon and stainless steel, pearl, 49 strand, 0.019-inch diameter

12

Wire protector, Accu-GuardTM, silver-plated brass, 5mm tube



C PROJECT THREE

Instructions

Step 1

Cut a 22 inch length of 0.019-inch diameter pearl Accu-Flex® Professional Quality beading wire.

Step 2

Thread a crimp bead and an Accu-Guard[™] wire protector on one end of the length of beading wire. Crimp. For explicit instructions on using crimp beads and wire protectors, please view "<u>How To Crimp a Crimp Bead/Crimp Tube</u>."

Step 3

Apply a crimp cover. For instructions on applying crimp covers, please view "Using Crimp Covers."

Step 4

Thread 20 orange seed beads onto the wire.

Step 5 Thread 20 black seed beads onto the wire.

Step 6

Repeat Steps 4 and 5 until you reach the desired length of your necklace. The necklace in this design idea is approximately 17.5 inches.

Step 7

Thread a crimp bead and an Accu-Guard wire protector onto the tail end of the necklace. Pull the tail tight to take up any slack in the Accu-Flex. Crimp.

Step 8

Apply a crimp cover.

Step 9

Use a 5.5mm jump ring to attach a lobster claw clasp to one end of the necklace.

Step 10

Add a 5.5mm jump ring to the opposite end of the necklace.

Step 11

Attach the cat charm to the necklace with a 5.5mm jump ring.

ADDITIONAL DESIGN IDEAS



Design Idea <u>QG2H</u>



<u>NJ3F</u>



Design Idea <u>QG2N</u>

Design Idea <u>QG2F</u>



You supply the creativity, we supply everything else! "Friendly Service" Since 1973 **Connect with Us** Over 100,000 hot jewelry-making products! Gemstones **Crystal Beads Stringing Supplies Seed Beads** Chains **Metal Findings And Much More!** firemountaingems.com Halloween Supplies Gemstone Beads Chains

Findings

Beading Wire

Seed Beads

To order: (800) 355-2137 Other Countries: (541) 956-7890 Email: info@firemtn.com

One Fire Mountain Way Grants Pass, OR 97526-2327 U.S.A.